



Optical Sights

JAEGER

- Optimal model line
- Wide field of view
- High shock resistance
- Reinforced body (installation of front attachments)
- Various illuminated reticles
- Long eye relief
- Turrets resettable to zero
- Nitrogen-filled
- Full water and dust resistance

RESETTABLE TO ZERO TURRETS

Design of elevation and windage turrets allows almost instantaneously with one click reset turrets to zero after the sight was zeroed.



7

N

Nitrogen

14,0067

IPX7 WATERPROOF

The Jaeger sights can be operated in precipitation of any intensity, e.g. heavy shower or snowfall (the unit has IPX7 degree of protection according to the IEC 60529).



NITROGEN-PURGED OPTICAL PATH

Nitrogen-filled optical channel protects inner optical parts and body of the sight against fogging, often caused by rapid temperature change.

WIDE FIELD OF VIEW

Taking into account angular field of view Jaeger sights occupy a decent place among similar models represented on the market. Apart from a good visibility design of the eyepiece ensures a quick visual image capture when rifle is raised.

REINFORCED BODY

Jaeger sights are designed with the possibility of mounting on their objective lenses night vision and thermal clip on systems.


HIGH SHOCK RESISTANCE

Sights have high shock and vibration resistance. Jaeger of any modification can be installed on large-caliber rifled and smooth bore weapons and can be used with spring-piston air guns.


RETICLE

Reticles of Jaeger are situated in the second (rear) focal plane – regardless of selected magnification reticle stays thin and does not cover the target. The center of the reticles is illuminated. Illumination brightness adjustment wheel has intermediary “zero” steps which allows rapid switching off of the illumination as well as return to the previous position of brightness. Intensity of the illumination varies widely, there is a mode for using the sight with attached from the rear night vision device.


HB01i




T01i




X01i




X02i




CT01i



M01



MV02i



JAEGER 1-4X24

Lightweight and compact optic sight intended first of all for driven hunt.



JAEGER 1.5-6X42

Multipurpose sight which can be used with the equal success for driven hunt for shooting short range moving targets and for shooting medium range distances.



JAEGER 3-9X40

Intended for shooting in any lighting conditions at short, medium and long distances at large, medium and small targets. A model with good ratio of weight, size and magnification.



JAEGER 3-12X56

High light gathering power allows using the sight in any time of the day. Distinctive feature of the sight – ability of precise long range shooting small targets.





Product
SPECIFICATIONS

Jaeger Daylight Optical Sights

Model	1-4x24	1.5-6x42	3-9x40	3-12x56
SKU	23025	23026	23027	23028
Magnification, x	1 - 4	1.5 - 6	3 - 9	3 - 12
Lens diameter, mm	24	42	40	56
Field of View, °	20.4-5.1	13.8-3.45	6.8-2.26	6.9-1.74
Eye Relief, mm	90	90	90	90
Mounting diameter, mm	30	30	30	30
Reticle Type	X01i, T01i, HB01i, CT01i	X01i, T01i	X01i, T01i, X02i, M01, MV02i	X01i, T01i, X02i, M01, MV02i
Windage & Elevation, MOA	1/2	1/4	1/4	1/4
Operating Temperature, °C	-30 - +60	-30 - +60	-30 - +60	-30 - +60
Level of Protection (acc. to IEC 60529)	IPX7	IPX7	IPX7	IPX7
Nitrogen Filling	yes	yes	yes	yes
Waterproofness	yes	yes	yes	yes